



## Floor Boxes - Raised floor Standard Range

Cat. No(s) : 0 880 00 to 17 - 0 880 20 to 28 - 0 880 30 to 32 -  
0 880 36 to 55/57 - 0 880 95/98/99 - 981350/51/52/53/54



### 1. USE


Standard version floor boxes to install in a raised floor of any kind of tertiary buildings (offices, public building, hospitals, schools/universities, shops, showrooms, hotels...). To be equipped with power, data, USB sockets.

Possibility to choose between different finishing's.

We advise to use 2p+E sockets, 45° inclined version with upward earth pin.






We advise you to use gloves when handling the products.

### MOUNTING PRINCIPLE




## 2. SELECTION TABLE

### ■ 2.1 General chart

| SOCKET MOUNTING POSITION                                                                                                                                                                                                            | CAPACITY                            | FLOOR BOX SUPPORT KITS | LIDS & TRIMS<br>FLOORING THICKNESS ≤ 8 mm                                         |                                                                                   | FINISHING PLATES<br>(optional)                                                     |                                                                                     | INSULATION BOXES |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------|
|                                                                                                                                                                                                                                     |                                     |                        |  |  |  |  |                  |
| <b>Adjustable horizontal</b><br><br>Hmin: 80 mm                                                                                                    | 12 (3 x 4) modules                  | 0 880 20               | Plastic                                                                           | 0 880 00                                                                          | Stainless steel                                                                    | 0 880 15                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 03                                                                           | Stainless steel                                                                     | 0 880 45         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 06                                                                           | Brass                                                                               | 0 880 48         |
|                                                                                                                                                                                                                                     | 18 (3 x 6) modules                  | 0 880 21               | Plastic                                                                           | 0 880 01                                                                          | Stainless steel                                                                    | 0 880 16                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 04                                                                           | Stainless steel                                                                     | 0 880 46         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 07                                                                           | Brass                                                                               | 0 880 49         |
|                                                                                                                                                                                                                                     | 24 (3 x 8) modules                  | 0 880 22               | Plastic                                                                           | 0 880 02                                                                          | Stainless steel                                                                    | 0 880 17                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 05                                                                           | Stainless steel                                                                     | 0 880 47         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 08                                                                           | Brass                                                                               | 0 880 50         |
| <b>Horizontal frames to be equipped with baskets</b><br><br>Hmini : 80 mm for empty baskets<br>Hmini : 102 mm for fast connecting system Wieland® | 12 (3 x 4) modules                  | 0 880 36               | Plastic                                                                           | 0 880 00                                                                          | Stainless steel                                                                    | 0 880 15                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 03                                                                           | Stainless steel                                                                     | 0 880 45         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 06                                                                           | Brass                                                                               | 0 880 48         |
|                                                                                                                                                                                                                                     | 18 (3 x 6) modules                  | 0 880 37               | Plastic                                                                           | 0 880 01                                                                          | Stainless steel                                                                    | 0 880 16                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 04                                                                           | Stainless steel                                                                     | 0 880 46         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 07                                                                           | Brass                                                                               | 0 880 49         |
|                                                                                                                                                                                                                                     | 24 (3 x 8) modules                  | 0 880 38               | Plastic                                                                           | 0 880 02                                                                          | Stainless steel                                                                    | 0 880 17                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 05                                                                           | Stainless steel                                                                     | 0 880 47         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 08                                                                           | Brass                                                                               | 0 880 50         |
| <b>Fixed Horizontal</b><br><br>Hmini : 96 mm                                                                                                     | 12 (3 x 4) modules                  | 0 880 30               | Plastic                                                                           | 0 880 00                                                                          | Stainless steel                                                                    | 0 880 15                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 03                                                                           | Stainless steel                                                                     | 0 880 45         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 06                                                                           | Brass                                                                               | 0 880 48         |
|                                                                                                                                                                                                                                     | 18 (3 x 6) modules                  | 0 880 31               | Plastic                                                                           | 0 880 01                                                                          | Stainless steel                                                                    | 0 880 16                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 04                                                                           | Stainless steel                                                                     | 0 880 46         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 07                                                                           | Brass                                                                               | 0 880 49         |
|                                                                                                                                                                                                                                     | 24 (3 x 8) modules                  | 0 880 32               | Plastic                                                                           | 0 880 02                                                                          | Stainless steel                                                                    | 0 880 17                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 05                                                                           | Stainless steel                                                                     | 0 880 47         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 08                                                                           | Brass                                                                               | 0 880 50         |
| <b>Fixed Vertical</b><br><br>Hmin: 83 mm                                                                                                         | 8 (2 x 4) modules                   | 0 880 23               | Plastic                                                                           | 0 880 00                                                                          | Stainless steel                                                                    | 0 880 15                                                                            | 0 880 26         |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 03                                                                           | Stainless steel                                                                     | 0 880 45         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 06                                                                           | Brass                                                                               | 0 880 48         |
|                                                                                                                                                                                                                                     | 12 (2 x 6) modules                  | 0 880 24               | Plastic                                                                           | 0 880 01                                                                          | Stainless steel                                                                    | 0 880 16                                                                            | 0 880 27         |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 04                                                                           | Stainless steel                                                                     | 0 880 46         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 07                                                                           | Brass                                                                               | 0 880 49         |
|                                                                                                                                                                                                                                     | 16 (2 x 8) modules                  | 0 880 25               | Plastic                                                                           | 0 880 02                                                                          | Stainless steel                                                                    | 0 880 17                                                                            | 0 880 28         |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 05                                                                           | Stainless steel                                                                     | 0 880 47         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 08                                                                           | Brass                                                                               | 0 880 50         |
| <b>Access covers</b><br><br>Hmini : 65 mm                                                                                                        | For lid and trim with 8/12 modules  | 0 880 39               | Plastic                                                                           | 0 880 00                                                                          | Stainless steel                                                                    | 0 880 15                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 03                                                                           | Stainless steel                                                                     | 0 880 45         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 06                                                                           | Brass                                                                               | 0 880 48         |
|                                                                                                                                                                                                                                     | For lid and trim with 12/18 modules | 0 880 40               | Plastic                                                                           | 0 880 01                                                                          | Stainless steel                                                                    | 0 880 16                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 04                                                                           | Stainless steel                                                                     | 0 880 46         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 07                                                                           | Brass                                                                               | 0 880 49         |
|                                                                                                                                                                                                                                     | For lid and trim with 16/24 modules | 0 880 41               | Plastic                                                                           | 0 880 02                                                                          | Stainless steel                                                                    | 0 880 17                                                                            | -                |
|                                                                                                                                                                                                                                     |                                     |                        | Metal                                                                             | Stainless steel                                                                   | 0 880 05                                                                           | Stainless steel                                                                     | 0 880 47         |
|                                                                                                                                                                                                                                     |                                     |                        |                                                                                   | Brass                                                                             | 0 880 08                                                                           | Brass                                                                               | 0 880 50         |

## 2. SELECTION TABLE (cont.)


### ■ 2.2 Chart Floor boxes supplied in kits

| Floor boxes supplied in kits                                                                        | Description                                                          | composed of references |          |
|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------|----------|
|  <p>0 880 09</p>   | Kit plastic standard lid & trim<br>+<br>Horizontal frames 12 modules | 0 880 00               | 0 880 20 |
|  <p>0 880 10</p>   | Kit plastic standard lid & trim<br>+<br>Horizontal frames 18 modules | 0 880 01               | 0 880 21 |
|  <p>0 880 11</p>  | Kit plastic standard lid & trim<br>+<br>Horizontal frames 24 modules | 0 880 02               | 0 880 22 |
|  <p>0 880 12</p> | Kit plastic standard lid & trim<br>+<br>Vertical frames 12 modules   | 0 880 00               | 0 880 23 |
|  <p>0 880 13</p> | Kit plastic standard lid & trim<br>+<br>Vertical frames 18 modules   | 0 880 01               | 0 880 24 |
|  <p>0 880 14</p> | Kit plastic standard lid & trim<br>+<br>Vertical frames 24 modules   | 0 880 02               | 0 880 25 |

## 3. DIMENSIONS

### ■ 3.1 Support Kits

#### 3.1.1 Adjustable horizontal mounting floor boxes Support Kits with empty baskets and horizontal frames to be equipped with baskets




| Adjustable horizontal Support kits with empty baskets cat nos | Horizontal frames to be equipped with baskets* cat. nos | Number of modules | A (mm) | B (mm) | C (mm) | D (mm) |
|---------------------------------------------------------------|---------------------------------------------------------|-------------------|--------|--------|--------|--------|
| 0 880 20                                                      | 0 880 36                                                | 3x4M              | 281.3  | 198.3  | 263.3  | 180.3  |
| 0 880 21                                                      | 0 880 37                                                | 3x6M              |        | 236.3  |        | 218.3  |
| 0 880 22                                                      | 0 880 38                                                | 3x8M              |        | 281.3  |        | 263.3  |

| Adjustable horizontal Support kits with empty baskets | Horizontal frames to be equipped with baskets* | F (mm) |
|-------------------------------------------------------|------------------------------------------------|--------|
| 0 880 20                                              | 0 880 36                                       | 76.7   |
| 0 880 21                                              | 0 880 37                                       |        |
| 0 880 22                                              | 0 880 38                                       |        |


| Kind of baskets*                                          |  | 4M       | 6M       | 8M       |
|-----------------------------------------------------------|--|----------|----------|----------|
| empty                                                     |  | 0 880 42 | 0 880 43 | 0 880 44 |
| equipped with 2P+E Wieland® german standard               |  | 0 880 51 | 0 880 53 | 0 880 55 |
| equipped with 2 P+E tamper-proof Wieland® german standard |  | 0 880 52 | 0 880 54 | 0 880 57 |

## 3. DIMENSIONS (cont.)


### 3.1.1.1 Empty basket



### 3.1.1.2 Fast connecting system Wieland®




Dimensions (mm) of the different positions of the module




3. DIMENSIONS (cont.)

3.1.2 Fixed Horizontal mounting floor boxes Supports Kits



| Cat. nos | Number of modules | A (mm) | B (mm) | C (mm) | D (mm) |
|----------|-------------------|--------|--------|--------|--------|
| 0 880 30 | 3x4M              | 281.3  | 198.3  | 263.3  | 180.3  |
| 0 880 31 | 3x6M              |        | 236.3  |        | 218.3  |
| 0 880 32 | 3x8M              |        | 281.3  |        | 263.3  |



| Cat. nos | E (mm) |
|----------|--------|
| 0 880 30 | 96     |
| 0 880 31 |        |
| 0 880 32 |        |



For minimum heights of raised floor, see chart 4.1 Floor cutting

3. DIMENSIONS (cont.)

3.1.3 Fixed Vertical mounting floor boxes Supports Kits with empty baskets

3.1.3.1 Supports Kits

In order to connect all types of user plugs (straight and angle) and to be able to close correctly the lid, we advise to use 2 P+E sockets, 45° inclined version with upward earth pin, as below :




| Cat. nos | Number of modules | A (mm) | B (mm) | C (mm) | D (mm) |
|----------|-------------------|--------|--------|--------|--------|
| 0 880 23 | 2x4M              | 281.3  | 198.3  | 263.3  | 180.3  |
| 0 880 24 | 2x6M              |        | 236.3  |        | 218.3  |
| 0 880 25 | 2x8M              |        | 281.3  |        | 263.3  |



| Cat. nos | E (mm) |
|----------|--------|
| 0 880 23 | 66.7   |
| 0 880 24 |        |
| 0 880 25 |        |

3.1.3.2 Insulation boxes


| Cat. nos | Number of modules |
|----------|-------------------|
| 0 880 26 | 2x4M              |
| 0 880 27 | 2x6M              |
| 0 880 28 | 2x8M              |




## 3. DIMENSIONS (cont.)

### 3.1.4 Access trap boxes

#### 3.1.4.1 External dimensions




| Cat. nos | A<br>(mm) | B<br>(mm) | C<br>(mm) | D<br>(mm) |
|----------|-----------|-----------|-----------|-----------|
| 0 880 39 | 281.3     | 198.3     | 263.3     | 180.3     |
| 0 880 40 |           | 236.3     |           | 218.3     |
| 0 880 41 |           | 281.3     |           | 263.3     |



| Cat. nos | E<br>(mm) |
|----------|-----------|
| 0 880 39 | 63.2      |
| 0 880 40 |           |
| 0 880 41 |           |

#### 3.1.4.2 Internal dimensions

|         | P (mm) | L (mm) |
|---------|--------|--------|
| 8/12 M  | 264    | 181    |
| 12/18 M | 264    | 219    |
| 16/24 M | 264    | 264    |




| Cat. nos | X<br>(mm) | Y<br>(mm) | Z<br>(mm) |
|----------|-----------|-----------|-----------|
| 0 880 39 | 39,7      | 147,9     | 229,6     |
| 0 880 40 |           | 185,9     |           |
| 0 880 41 |           | 230,9     |           |

## 3. DIMENSIONS (cont.)


### ■ 3.2 Lids & Trims

#### 3.2.1 Plastic Lids & Trims

| 1 finish        | 8/12M    | 12/18M   | 16/24M   |
|-----------------|----------|----------|----------|
| Plastic RAL7031 | 0 880 00 | 0 880 01 | 0 880 02 |



| Cat. nos | X<br>(mm) | Y<br>(mm) | Z<br>(mm) | A<br>(mm) | B<br>(mm) |
|----------|-----------|-----------|-----------|-----------|-----------|
| 0 880 00 | 286       | 203       | 41        | 244.5     | 116.5     |
| 0 880 01 |           | 241       |           |           | 154.8     |
| 0 880 02 |           | 286       |           |           | 199.8     |




| Cat. nos | C<br>(mm) | D<br>(mm) |
|----------|-----------|-----------|
| 0 880 00 | 8         | 4.5       |
| 0 880 01 |           |           |
| 0 880 02 |           |           |


## 3. DIMENSIONS (cont.)

### 3.2.2 Metal Lids & Trims

| 2 finishes      | 8/12M    | 12/18M   | 16/24M   |
|-----------------|----------|----------|----------|
| Stainless steel | 0 880 03 | 0 880 04 | 0 880 05 |
| Brass           | 0 880 06 | 0 880 07 | 0 880 08 |



| Cat. nos |          | X (mm) | Y (mm) | Z (mm) | A (mm) | B (mm) |
|----------|----------|--------|--------|--------|--------|--------|
| 0 880 03 | 0 880 06 | 286    | 203    | 41     | 249.2  | 117.2  |
| 0 880 04 | 0 880 07 |        | 241    |        |        | 155.2  |
| 0 880 05 | 0 880 08 |        | 286    |        |        | 199.9  |




| Cat. nos |          | C (mm) | D (mm) |
|----------|----------|--------|--------|
| 0 880 03 | 0 880 06 | 8      | 3.1    |
| 0 880 04 | 0 880 07 |        |        |
| 0 880 05 | 0 880 08 |        |        |

## 3. DIMENSIONS (cont.)

### ■ 3.3 Finishing plates


#### 3.3.1 Finishing plates for plastic lid & trims

| 1 finish        | 8/12M    | 12/18M   | 16/24M   |
|-----------------|----------|----------|----------|
| Stainless steel | 0 880 15 | 0 880 16 | 0 880 17 |




#### 3.3.2 Finishing plates for metal lid & trims

| 2 finishes      | 8/12M    | 12/18M   | 16/24M   |
|-----------------|----------|----------|----------|
| Stainless steel | 0 880 45 | 0 880 46 | 0 880 47 |
| Brass           | 0 880 48 | 0 880 49 | 0 880 50 |



Double sided adhesive tape to fix the finishing plate on the lid & trim



| Cat. nos          | X (mm) | Y (mm) |
|-------------------|--------|--------|
| 0 880 15          | 244    | 116    |
| 0 880 16          |        | 154    |
| 0 880 17          |        | 199    |
| 0 880 45/0 880 48 | 248    | 116    |
| 0 880 46/0 880 49 |        | 154    |
| 0 880 47/0 880 50 |        | 199    |

Remove protection adhesive tape from finishing lids and plates **ONLY WHEN THE BUILDING IS READY TO RECEIVE ITS OCCUPANTS** (= heated and normal hygrometry rate 45-65 %).

### ■ 3.4 Locking system cat. nos 0 80098/99

| Cat. nos        |  |  |
|-----------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Useful for      | with key                                                                              | without key                                                                           |
| Plastic boxes * | 0 880 98                                                                              | 0 880 99                                                                              |
| Metal boxes     | on demand                                                                             |                                                                                       |

\* to be done by installer or electrician


## 4. INSTALLATION

### ■ 4.1 Floor cutting

| Socket mounting position  | X (mm) mini  | 8/12M    | 12/18M   | 18/24M   |
|---------------------------|--------------|----------|----------|----------|
| Horizontal adjustable     | 80* or 102** | 0 880 20 | 0 880 21 | 0 880 22 |
| Horizontal to be equipped |              | 0 880 36 | 0 880 37 | 0 880 38 |
| Horizontal fixed          | 96           | 0 880 30 | 0 880 31 | 0 880 32 |
| Vertical fixed            | 83           | 0 880 23 | 0 880 24 | 0 880 25 |
| Access trap               | 64           | 0 880 39 | 0 880 40 | 0 880 41 |
| L (mm)                    | -            | 181      | 219      | 264      |
| P (mm)                    | -            | 264      | 264      |          |

\* with basket without Wieland® connector

\*\* with basket with Wieland® connector




## 4. INSTALLATION (cont.)

### ■ 4.2 Option : additionnal fixation kit cat no 0 880 95 (example : plaster)

Allow floor clamping when it is necessary for a raised floor in brittle material such as plaster, for which the fixation type with clips of the frame support is not convenient (clamps may not be fixed sufficiently in the plaster)

Preparation of the 4 fixations :



if floor depth (e)

| 11 mm < e < 17 mm | 25 mm < e < 31 mm | 31 mm < e < 40 mm |
|-------------------|-------------------|-------------------|
|                   |                   |                   |

## 5. GENERAL CHARACTERISTICS

### ■ 5.1 Mechanical characteristics

#### Protection to :

IP30 with the cover closed

IP20 with the cover opened

IP24 of sockets outlets with the cover closed

**Resistance to impacts :** IK08 with the cover closed

**Self-extinguishing :** + 650°C/30s for parts made of insulating materials according to EN60095-2-11

The intlets of conduits or cables are pre-cutting for an easier installation.

#### **Classification floor boxes according to the IEC 60670-1 et IEC 60670-23 standard :**

|                                                                                   |                                                                              |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| 7.1 The nature of their material                                                  | Composite                                                                    |
| 7.2 The method of installation                                                    | Flush, semi-flush or embedded in non-combustible floors                      |
|                                                                                   | Placement suitable for installation into concrete during the casting process |
|                                                                                   | Floor boxes or enclosures installed in floor subjected to dry treatment      |
| 7.3 The type of inlets (outlets)                                                  | Without inlets. Inlet openings will be made during installation              |
| 7.4 The clamping means                                                            | With clamping means                                                          |
| 7.5 The minimum and maximum temperatures during installation                      | -5°C to +60°C                                                                |
| 7.6 The maximum temperature during the casting process                            | +60°C                                                                        |
| 13 Protection against ingress of solid objects & against harmful ingress of water | IP30 cover closed / IP20 cover opened                                        |
| 15.101 Resistance to vertical load through a small surface                        | 500 N                                                                        |

#### **Maximum vertical load Resistance**

| Standard range<br>Floor boxes | References of<br>the lid & trim | small surface<br>(1 cm <sup>2</sup> ) | large surface<br>(Ø 130 mm) |
|-------------------------------|---------------------------------|---------------------------------------|-----------------------------|
| Plastic                       | 0 880 00<br>to 0 880 02         | 1 500 N                               | 3 000 N                     |
| Metal                         | 0 880 03<br>to 0 880 08         | 1 500 N                               | 5 000 N                     |

**Safety :** Check that the system is earthed.

## 5. GENERAL CHARACTERISTICS (cont.)

### ■ 5.2 Material characteristics

#### **Floor boxes Material list**

- . Plastic materials : ABS
- . Plastic materials : TPEE
- . Plastic materials : PP 6.6 glass fibers
- . Galvanized steel (Z140)
- . Stainless steel
- . Galvanized steel (Z275)
- . Brass

#### **Back boxes Material list**

- . Galvanized steel (Z140)
- . Plastic materials : ABS

## 6. CARE

Superficial cleaning with a cloth. Do not use abrasive products or detergents.

**Caution:** Always test before using other special cleaning products.



Brass Raw Brushed : material which evolves with time, it gets veiled and takes a patina. However, a regular cleaning can restore its initial appearance.

Use a special copper cleaner with an antioxidant formula such as "Miror copper cleaner" or equivalent. Scrub with a soft brush in the direction of the finish brushing.

## 7. STANDARDS & APPROVALS

Compliant with installation and manufacturing standards.  
See e. catalogue.

## 8. SPARE PARTS)

| Description                       |      | Spare parts cat. nos |                                                                                      | for cat. nos   |
|-----------------------------------|------|----------------------|--------------------------------------------------------------------------------------|----------------|
| Handle                            |      | 981350               |    | 0 880 00/01/02 |
| Cable outlet                      |      | 981351               |    | 0 880 00/01/02 |
| Vertical position sockets support | 2x4M | 981352               |    | 0 880 23       |
|                                   | 2x6M | 981353               |   | 0 880 24       |
|                                   | 2x8M | 981354               |  | 0 880 25       |